COMMUNICATIONS OF STREET

Federal Communications Commission

Approved by OMB 3060-0999 See instructions for public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2016 - December 31, 2016 Filing Confirmation Number: 0007622875

Filing Deadline: March 23, 2017 FRN: 0003733854

Filing Date: 01/16/2017 03:45 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Amerivision Communications Inc d/b/a Affinity4

Brand Names: Affinity4

PO Box:

Street Address: 2037 Laskin Road City: Virginia Beach

State: VA Zip Code: 23454

Contact Name: Denise Thomson Contact Phone: (757) 227-6052

Contact Fax:

Contact Email: dthomson@affinity4.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)? Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.affinity4wireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Affinity4 has an in house Call Center trained to sell the wireless product. We also maintain a public website promoting our wireless plans and phones.

Methodology for Functionality Levels

We offer HAC compliant handsets in all major functionality levels and price categories including Basic, low cost feature phones; Intermediate, low end smartphones; and Advanced, medium to high end smartphones. HAC compatible handsets vary in their inherent levels of functionality and at least one HAC handset with features typical of its category can be found that meets the customer's needs.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible Number Percent	Acoustic Coupling Compatible Only Number Percent	Non-Compliant Handsets Number Percent	Total by Air Interface
CDMA	15 83%	3 17%		18

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		mpliant dsets Percent	Total by Air Interface
LTE	8	80%	2	20%		10

Handset 1: Apple 5S iphone

Handset Maker

Apple

Handset Model Name FCC ID

5S iphone BCG-E2642A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz CDMA

850 MHz LTE

900 MHz LTE

1700 MHz CDMA

1700 MHz LTE

1800 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2100 MHz LTE

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced, Medium to High-end Smartphone

Remarks

Handset 2: Kyocera Hydro Edge

Handset Maker

Kyocera

Handset Model Name FCC ID

Hydro Edge V65C5215

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 05/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced, Medium to High-end Smartphone

Remarks

Handset 3: Kyocera Rise

Handset Maker

Kyocera

Handset Model Name FCC ID

Rise V65C5155

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate, Low-end Smartphone

Remarks

Handset 4: LG Cosmos 3/VN251S

Handset Maker

LG

Handset Model Name FCC ID

Cosmos 3/VN251S BEJVN251

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic, low cost feature phone

Remarks

Handset 5: LG Enact/VS890

Handset Maker

LG

Handset Model Name FCC ID

Enact/VS890 ZNFVS890

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA 750 MHz LTE

Dates

This handset model was offered from: 01/16 to 10/16

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate, Low-end Smartphone

Remarks

Handset 6: LG G2/VS980

Handset Maker

LG

Handset Model Name FCC ID

G2 / VS980 ZNFVS980

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 1700 MHz LTE 1900 MHz CDMA

Dates

This handset model was offered from: 02/16 to 05/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced, Medium to High-end Smartphone

Remarks

Handset 7: LG LG-VS870

Handset Maker

LG

Handset Model Name FCC ID

LG-VS870 ZNFVS870

Air Interfaces/Frequency Bands

700 MHz LTE 850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 03/16

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate, Low-end Smartphone

Remarks

Handset 8: LG LG-VS876

Handset Maker

LG

Handset Model Name FCC ID

LG-VS876 ZNFVS876

Air Interfaces/Frequency Bands

700 MHz LTE 800 MHz CDMA 1700 MHz LTE 1900 MHz CDMA 2100 MHz LTE

Dates

This handset model was offered from: 03/16 to 11/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate, Low-end Smartphone

Remarks

Handset 9: Samsung Freeform 4 R390

Handset Maker

Samsung

Handset Model Name FCC ID

Freeform 4 R390 A3LSCHR390

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic, low cost feature phone

Remarks

Handset 10: Samsung Galaxy Core Prime

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy Core Prime A3LSMG360P

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1700 MHz LTE 1900 MHz CDMA 1900 MHz LTE 750 MHz LTE

Dates

This handset model was offered from: 01/16 to 11/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate, Low-end Smartphone

Remarks

Handset 11: Samsung Galaxy III

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy III A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA 850 MHz CDMA 1900 MHz CDMA 1900 MHz LTE

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced, Medium to High-end Smartphone

Remarks

Handset 12: Samsung Galaxy J3

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy J3 A3LSMJ320A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz CDMA

850 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

Dates

This handset model was offered from: 07/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Intermediate, Low-end Smartphone

Remarks

Handset 13: Samsung Galaxy S 4 i545L

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S 4 i545L A3LSCHI545

Air Interfaces/Frequency Bands

850 MHz CDMA 1700 MHz LTE 1900 MHz CDMA 750 MHz LTE

Dates

This handset model was offered from: 01/16 to 11/16

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced, Medium to High-end Smartphone

Remarks

Handset 14: Samsung Galaxy S5 G900

Handset Maker

Samsung

Handset Model Name FCC ID

Galaxy S5 G900 A3LSMG900V

Air Interfaces/Frequency Bands

850 MHz CDMA 1700 MHz LTE 1900 MHz CDMA 750 MHz LTE

Dates

This handset model was offered from: 03/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced, Medium to High-end Smartphone

Remarks

Handset 15: Samsung Gusto 2

Handset Maker

Samsung

Handset Model Name FCC ID

Gusto 2 A3LSCHU365

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic, low-cost feature phone

Remarks

Handset 16: Samsung GUSTO 3

Handset Maker

Samsung

Handset Model Name FCC ID

GUSTO 3 A3LSCHU365

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 03/16 to 12/16

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic, low-cost feature phone

Remarks

Handset 17: Samsung Intensity U460

Handset Maker

Samsung

Handset Model Name FCC ID

Intensity U460 A3LSCHU460

Air Interfaces/Frequency Bands

850 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 04/16

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic, low-cost feature phone

Remarks

Handset 18: Unimax MXC 450

Handset Maker

Unimax

Handset Model Name FCC ID

MXC 450 P46-C5610

Air Interfaces/Frequency Bands

800 MHz CDMA 1900 MHz CDMA

Dates

This handset model was offered from: 01/16 to 12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic, low-cost feature phone

Remarks

Certification

This Report has been certified by:

Denise Thomson Sr. Product Mgr 01/16/2017 03:45 PM